



NOTES:

1. PITCH: 1/4" PER FOOT OR 1/8" PER FOOT w/ CLEANOUT
2. TRAP ARMS MAY BE SWUNG PER FLOOR PLAN
3. ALL ELL'S TO BE LONG TURN
4. MATERIAL: ABS-DWV PLASTIC OR OTHER LISTED MATERIALS
5. VENT = VENT THRU ROOF
6. DRAIN = TERMINATION POINT
7. LTTY = LONG TURN T-Y or COMBINATION WYE w/ 1/8 BEND
8. FITTINGS DEPICTED AS HUB TO HUB SHALL HAVE A PIECE OF PIPE JOINING THEM. THAT PIPE SHALL BE SIZED THE SAME AS THE PIPE UPSTREAM OF THOSE FITTINGS. ALTERNATELY, THE FITTINGS MAY ALSO BE STREET FITTINGS.



DIVISIONS

231	SUGARCREEK
233	ARKANSAS CITY
235	SAN JACINTO
237	WOODLAND
239	OCALA
X 241	LEOLA
243	LANCASTER
245	MINNVILLE



DRWN:	DEH	WIND ZONE:
DATE:	02/06/2024	ROOF ZONE:
SHEET	_____	OF _____

	BOX LENGTH	DESCRIPTION	DRAWING NUMBER
243 LANCASTER	28' WIDE	DRAIN LINE S M373-4	S24-02826-004

